



This is part of **Family API** which allow to create dual-os version of program runs under OS/2 and DOS

Note: This is legacy API call. It is recommended to use 32-bit equivalent

2021/09/17 04:47 · prokushev · [0 Comments](#)

2021/08/20 03:18 · prokushev · [0 Comments](#)

DosQ FileMode

This call queries the mode (attribute) of the specified file.

Syntax

```
DosQ FileMode (<FilePathName>, <CurrentAttribute>, <Reserved>)
```

Parameters

- FilePathName ([PSZ](#)) - input : Address of the file path name.

[DosQ SysInfo](#) is called by an application during initialization to determine the maximum path length allowed by OS/2.

- CurrentAttribute ([PUSHORT](#)) - output : Address of the file's current attribute.

Bit	Description
15-6	Reserved
5	File archive
4	Subdirectory
3	Reserved
2	System file
1	Hidden file
0	Read only file

These bits can be set individually or in combination. For example, an attribute value of 0021H (bits 5 and 0 set to 1) indicates a read-only file that is archived.

- Reserved ([ULONG](#)) - input : Reserved must be set to zero.

Return Code

rc ([USHORT](#)) - return

Return code descriptions are:

- 0 NO_ERROR
- 2 ERROR_FILE_NOT_FOUND
- 3 ERROR_PATH_NOT_FOUND
- 26 ERROR_NOT_DOS_DISK
- 87 ERROR_INVALID_PARAMETER
- 108 ERROR_DRIVE_LOCKED
- 206 ERROR_FILENAME_EXCED_RANGE

Remarks

The “Volume Label” type attribute is not returned by DosQ FileMode. [DosQFSInfo](#) may be used for this purpose.

Example Code

C Binding

```
#define INCL_DOSFILEMGR

USHORT rc = DosQ FileMode(FilePathName, CurrentAttribute, Reserved);

PSZ FilePathName; /* File path name */
PUSHORT CurrentAttribute; /* Data area (returned) */
ULONG 0; /* Reserved (must be zero) */

USHORT rc; /* return code */
```

MASM Binding

```
EXTRN DosQ FileMode:FAR
INCL_DOSFILEMGR EQU 1

PUSH@ ASCIIZ FilePathName ;File path name
PUSH@ WORD CurrentAttribute ;Data area (returned)
PUSH@ DWORD 0 ;Reserved (must be zero)
CALL DosQ FileMode
```

Returns WORD

Note

Text based on <http://www.edm2.com/index.php/DosQ FileMode>

Family API		
DOS	Process Manager	DosBeep DosExit DosSleep DosExecPgm
	File Manager	DosChDir DosChgFilePtr DosClose DosDelete DosDupHandle DosMkDir DosMove DosQCurDir DosQCurDisk DosSet FileMode DosOpen DosQFileInfo DosRead DosQFileInfo DosQFSInfo DosQVerify DosRmDir DosSelectDisk DosFindClose DosFindFirst DosFindNext DosSet FileInfo DosSet Verify DosWrite DosFileLocks DosSet FHandState DosNewSize DosBufReset DosQFHandState DosSetFSinfo
	Memory Manager	DosFreeSeg DosSubAlloc DosSubFree DosSubSet DosAllocHuge DosAllocSeg DosReallocHuge DosReallocSeg DosGet Huge Shift DosCreateCSAlias
	NLS	DosCaseMap DosGetCtryInfo DosGetDBCSEv DosSetCtryCode DosGetCollate DosGetMessage DosInsMessage DosPutMessage
	Date and Time	DosSetDateTime DosGetDateTime
	Devices	DosDevConfig DosDevIOCtl DosDevIOCtl2
	Signals	DosHoldSignal DosSetSigHandler
	Misc	BadDynLink DosGetEnv DosGetMachineMode DosGetVersion DosError DosErrClass DosSetVec
KBD		KbdCharIn KbdFlushBuffer KbdGetStatus KbdSetStatus KbdStringIn KbdPeek
VIO		VioGetBuf VioGetConfig VioGetCurPos VioGetCurType VioGetPhysBuf VioReadCellStr VioReadCharStr VioScrollUp VioScrollDn VioScrollLf VioScrollRt VioScrUnLock VioSetCurPos VioSetCurType VioSetMode VioGetMode VioShowBuf VioWrtCellStr VioWrtCharStr VioWrtCharStrAtt VioWrtNAttr VioWrtNCell VioWrtNChar VioWrtTTY VioScrLock VioPopUp
Tools		BIND
Modules		DOSCALLS.DLL VIOCALS.DLL KBDCALLS.DLL MSG.DLL
Libraries		API.LIB OS2386.LIB FAPI.LIB DOSCALLS.LIB SUBCALLS.LIB

2018/08/25 15:05 · prokushev · 0 Comments

From:
<https://osfree.org/doku/> - osFree wiki



Permanent link:
<https://osfree.org/doku/doku.php?id=en:docs:fapi:dosqfilemode>

Last update: **2021/09/17 08:06**