

MouDrawPtr

Bindings: C, MASM

This call allows a process to notify the mouse device driver that an area previously restricted to the pointer image is now available to the mouse device driver.

MouDrawPtr (DeviceHandle)

DeviceHandle (HMOU) - input Mouse device handle from a previous [MouOpen](#).

rc (USHORT) - return Return code descriptions are:

0	NO_ERROR
385	ERROR_MOUSE_NO_DEVICE
466	ERROR_MOU_DETACHED
501	ERROR_MOUSE_NO_CONSOLE
505	ERROR_MOU_EXTENDED_SG

Remarks

The collision area (the pointer image restricted area) is established by [MouOpen](#) and by [MouRemovePtr](#). [MouDrawPtr](#) nullifies the effect of the [MouRemovePtr](#) command. If there was no previous [MouDrawPtr](#) command or if a previous [MouDrawPtr](#) command has already nullified the collision area, the [MouRemovePtr](#) command is effectively a null operation.

This call is required to begin session pointer image drawing. Immediately after [MouOpen](#) is issued, the collision area is defined as the size of the display. A [MouDrawPtr](#) is issued to begin pointer drawing after the [MouOpen](#).

C bindings

```
#define INCL_MOU

USHORT rc = MouDrawPtr(DeviceHandle);

HMOU           DeviceHandle; /* Mouse device handle */
USHORT         rc;          /* return code */
```

MASM bindings

```
EXTRN MouDrawPtr:FAR
INCL_MOU      EQU 1

PUSH WORD    DeviceHandle ;Mouse device handle
CALL MouDrawPtr
```

Returns **WORD**

From:
<http://185.82.219.184/doku/> - osFree wiki

Permanent link:
<http://185.82.219.184/doku/doku.php?id=en:ibm:prcp:mou:drawptr>



Last update: **2016/09/15 03:35**